

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S62	17	717/107.ccls. and ((help or support) near6 (graphic\$6 or dynamic\$6 or automat\$6)) and ((replay\$4 or play\$4 or executable) same (help or support))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/29 09:22
S61	41	717/107.ccls. and ((help or support) near6 (graphic\$6 or dynamic\$6 or automat\$6)) and (replay\$4 or play\$4 or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/29 09:22
S60	53	717/107.ccls. and ((help or support) near6 (graphic\$6 or dynamic\$6 or automat\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/29 09:21
S59	200	717/107.ccls. and (help or support)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/29 09:21
S56	146	706/60.ccls. and (help or support)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/29 09:20
S58	19	706/60.ccls. and ((automat\$6 or dynamic\$6 or graphic\$6) near6 (help or support)) and (replay\$6 or play\$4 or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/29 09:16
S57	32	706/60.ccls. and ((automat\$6 or dynamic\$6 or graphic\$6) near6 (help or support))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/29 09:16
S52	238	712/1.ccls. and (help or support)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/29 09:15
S55	13	712/1.ccls. and ((help or support) near6 (dynamic\$6 or graphic\$6 or automat\$6)) and (replay\$4 or play\$4 or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/29 08:53
S54	21	712/1.ccls. and ((help or support) near6 (dynamic\$6 or graphic\$6 or automat\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/29 08:52
S53	15	712/1.ccls. and ((help or support) near6 (dynamic\$6 or graphic\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/29 08:52

EAST Search History

S1	1	10/630959	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/29 08:51
S51	20	((help or support) near4 (desk or deskside or desk-side or techn\$6 or comput\$6)) and @ay<"2005" and ((replay\$4 or play\$4) near4 (step or sequen\$4)) and ((record\$4 or sav\$4 or stor\$4 or follow\$4 or arrang\$6 or sort\$4) near4 (step or sequen\$6)) and ((automat\$6 or dynamic\$6 or graphic\$6) near6 (help or support)) and ((step or sequen\$6) near6 (help or support)) and ((execut\$6 with (step or sequen\$6 or help or support)) same executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/25 06:45
S50	54	((help or support) near4 (desk or deskside or desk-side or techn\$6 or comput\$6)) and @ay<"2005" and ((replay\$4 or play\$4) near4 (step or sequen\$4)) and ((record\$4 or sav\$4 or stor\$4 or follow\$4 or arrang\$6 or sort\$4) near4 (step or sequen\$6)) and ((automat\$6 or dynamic\$6 or graphic\$6) near6 (help or support)) and ((step or sequen\$6) near6 (help or support)) and (execut\$6 with (step or sequen\$6 or help or support))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/25 06:44
S49	71	((help or support) near4 (desk or deskside or desk-side or techn\$6 or comput\$6)) and @ay<"2005" and ((replay\$4 or play\$4) near4 (step or sequen\$4)) and ((record\$4 or sav\$4 or stor\$4 or follow\$4 or arrang\$6 or sort\$4) near4 (step or sequen\$6)) and ((automat\$6 or dynamic\$6 or graphic\$6) near6 (help or support)) and ((step or sequen\$6) near6 (help or support))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/25 06:43
S48	179	((help or support) near4 (desk or deskside or desk-side or techn\$6 or comput\$6)) and @ay<"2005" and ((replay\$4 or play\$4) near4 (step or sequen\$4)) and ((record\$4 or sav\$4 or stor\$4 or follow\$4 or arrang\$6 or sort\$4) near4 (step or sequen\$6)) and ((automat\$6 or dynamic\$6 or graphic\$6) near6 (help or support))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/25 06:42
S47	929	((help or support) near4 (desk or deskside or desk-side or techn\$6 or comput\$6)) and @ay<"2005" and ((replay\$4 or play\$4) near4 (step or sequen\$4)) and ((record\$4 or sav\$4 or stor\$4 or follow\$4 or arrang\$6 or sort\$4) near4 (step or sequen\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/25 06:41
S46	1	10/630959	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 10:02
S45	2	10/327812	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 10:02
S44	49	((play\$4 or replay\$4 or re-play\$4) near6 (step or sequen\$4 or procedure or module or command or help or support)) same (gui or screen or interface or graphic\$6) same user) and @ay<"2004" and (((help or support) near6 (auto or automat\$6 or dynamic\$6 or graphic\$6 or self)) with user) and ((record\$4 or sav\$4) near6 (step or sequen\$4 or procedure or module or command or help or support))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 09:49
S43	91	((play\$4 or replay\$4 or re-play\$4) near6 (step or sequen\$4 or procedure or module or command or help or support)) same (gui or screen or interface or graphic\$6)) and @ay<"2004" and (((help or support) near6 (auto or automat\$6 or dynamic\$6 or graphic\$6 or self)) with user) and ((record\$4 or sav\$4) near6 (step or sequen\$4 or procedure or module or command or help or support))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 08:33

EAST Search History

S42	198	((play\$4 or replay\$4 or re-play\$4) near6 (step or sequen\$4 or procedure or module or command or help or support)) same (gui or screen or interface or graphic\$6)) and @ay<"2004" and (((help or support) near6 (auto or automat\$6 or dynamic\$6 or graphic\$6 or self)) with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 08:32
S41	307	((play\$4 or replay\$4 or re-play\$4) near6 (step or sequen\$4 or procedure or module or command or help or support)) same (gui or screen or interface or graphic\$6)) and @ay<"2004" and (((help or support) near6 (auto or automat\$6 or dynamic\$6 or graphic\$6 or self)) same user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 08:30
S40	14	((play\$4 or replay\$4) near4 (step or sequen\$4 or procedure or module or command)) same (gui or screen or interface) same (help or support)) and @ay<"2004" and (((help or support) near4 (auto or automat\$6 or dynamic\$6 or graphic\$6)) with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 08:29
S39	99	((play\$4 or replay\$4) near4 (step or sequen\$4 or procedure or module or command)) same (gui or screen or interface)) and @ay<"2004" and (((help or support) near4 (auto or automat\$6 or dynamic\$6 or graphic\$6)) with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 08:27
S38	284	((play\$4 or replay\$4) near4 (step or sequen\$4 or procedure or module or command)) same (gui or screen or interface)) and @ay<"2004" and ((help or support) near4 (auto or automat\$6 or dynamic\$6 or graphic\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 08:26
S37	1095	((play\$4 or replay\$4) near4 (step or sequen\$4 or procedure or module or command)) and @ay<"2004" and ((help or support) near4 (auto or automat\$6 or dynamic\$6 or graphic\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 08:26
S36	84	((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6)) and ((desk or desktop or desktide or technical) near4 (support or help)) and (((configur\$6 or diagno\$6) near6 (software or hardware or device)) same (problem or support or help) same user) and ((support or help) same (gui or screen or graphic\$6 or interface)) and ((step or sequen\$6) with (sav\$4 or stor\$4 or generat\$4 or combin\$6 or pack\$6 or arrang\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 07:45
S35	84	((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6)) and ((desk or desktop or desktide or technical) near4 (support or help)) and (((configur\$6 or diagno\$6) near6 (software or hardware or device)) same (problem or support or help) same user) and ((support or help) same (gui or screen or graphic\$6 or interface)) and ((step or sequen\$6) with (sav\$4 or stor\$4 or generat\$4 or combin\$6 or pack\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 07:32
S34	85	((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6)) and ((desk or desktop or desktide or technical) near4 (support or help)) and (((configur\$6 or diagno\$6) near6 (software or hardware or device)) same (problem or support or help) same user) and ((support or help) same (gui or screen or graphic\$6 or interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 07:31
S33	90	((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6)) and ((desk or desktop or desktide or technical) near4 (support or help)) and (((configur\$6 or diagno\$6) near6 (software or hardware or device)) same (problem or support or help) same user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 07:30

EAST Search History

S32	177	((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6)) and ((desk or desktop or deskside or technical) near4 (support or help)) and ((configur\$6 or diagno\$6) near4 (software or hardware or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 07:28
S31	301	((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6)) and ((desk or desktop or deskside or technical) near4 (support or help))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 07:28
S30	3957	((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 07:27
S29	23440	((support or help) near4 (auto or automat\$6)) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 07:26
S28	9	("6260035").URPN.	USPAT	AND	ON	2006/10/20 07:22
S27	22	("5103798" "5239617" "5311422" "5369575" "5377103" "5390281" "5432940" "5493729" "5597312" "5627958" "5644735" "5689619" "5694559" "5696964" "5701399" "5720007" "5778402" "5809145" "5822745" "5828999" "5850627" "5864848").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/10/20 07:21
S26	13	"6260035"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 07:12
S20	119	((record\$4 or arrang\$6) near6 (step or sequen\$6)) same (help or support)) and ((help or support) with (screen or interface or gui or graphic\$6)) and @ay<"2004" and ((step or sequen\$6) with database) and user.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 09:25
S19	248	((record\$4 or arrang\$6) near6 (step or sequen\$6)) same (help or support)) and ((help or support) with (screen or interface or gui or graphic\$6)) and @ay<"2004" and ((step or sequen\$6) with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 07:37
S18	144	((technical or desk) near4 (help or support)) and @ay<"2004" and ((record\$4 or arrang\$6) near6 (step or sequen\$6)) and ((help or support) with (screen or interface or gui or graphic\$6)) and ((help or support) near6 (dynamic\$6 or automatic\$6)) and (follow\$4 same (user or client) same (help or support))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 07:35
S17	154	((technical or desk) near4 (help or support)) and @ay<"2004" and ((record\$4 or arrang\$6) near6 (step or sequen\$6)) and ((help or support) with (screen or interface or gui or graphic\$6)) and ((help or support) near6 (dynamic\$6 or automatic\$6)) and microsoft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 07:18
S16	195	((technical or desk) near4 (help or support)) and @ay<"2004" and ((record\$4 or arrang\$6) near6 (step or sequen\$6)) and ((help or support) with (screen or interface or gui or graphic\$6)) and ((help or support) near6 (dynamic\$6 or automatic\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 07:17

EAST Search History

S15	538	((technical or desk) near4 (help or support)) and @ay<"2004" and ((record\$4 or arrang\$6) near6 (step or sequen\$6)) and ((help or support) with (screen or interface or gui or graphic\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 07:16
S14	680	((technical or desk) near4 (help or support)) and @ay<"2004" and ((record\$4 or arrang\$6) near6 (step or sequen\$6)) and ((help or support) same (screen or interface or gui))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 07:16
S13	1172	((technical or desk) near4 (help or support)) and @ay<"2004" and ((record\$4 or arrang\$6) near6 (step or sequen\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 07:15
S12	25	((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and ((user or client) same (help or instruction or procedure or module or program) same (interface or sreen or gui) same follow\$4) and ((generat\$4 or buil\$4 or creat\$4) with (help or procedure or module or program)) and microsoft and user.clm. and ((technical or desk) near8 support\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 07:14
S11	183	((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and ((user or client) same (help or instruction or procedure or module or program) same (interface or sreen or gui) same follow\$4) and ((generat\$4 or buil\$4 or creat\$4) with (help or procedure or module or program)) and microsoft and user.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 07:07
S10	229	((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and ((user or client) same (help or instruction or procedure or module or program) same (interface or sreen or gui) same follow\$4) and ((generat\$4 or buil\$4 or creat\$4) with (help or procedure or module or program)) and microsoft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 06:58
S9	518	((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and ((user or client) same (help or instruction or procedure or module or program) same (interface or sreen or gui) same follow\$4) and ((generat\$4 or buil\$4 or creat\$4) with (help or procedure or module or program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 06:58
S8	607	((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and ((user or client) same (help or instruction or procedure or module or program) same (interface or sreen or gui) same follow\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 06:57
S7	2477	((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and ((user or client) same (help or instruction or procedure or module or program) same (interface or sreen or gui))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 06:57
S6	3533	((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and (user or client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 06:56

EAST Search History

S5	3882	((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 06:55
S4	12949	((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 06:54
S3	13977	((auto or automatic\$6 or dynamic\$6) with (help or instruction or procedure or module or program)) with (interface or screen)) and @ay<"2005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 06:54
S2	19367	((auto or automatic\$6) with (help or instruction or procedure or module or program)) same (interface or screen)) and @ay<"2005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/19 06:53